

FOAM SEAL  
2 x 10 mm

3  
KEYS  
INCLUDED

A HOOK  
BAR \*

DRAWERS  
WITH DIVIDERS

**Security level:**  
Class I according to EN 1143-1

Suitable for the storage of:

- office documents, office equipment
- valuables

#### Description

Series **safe4BTM** - high security safe with drawers for the storage of valuables.

**Body:** multi-walled body (25 mm thick)

**Door:** multi-walled door construction (84 mm thick)

**Locking:** 4-way locking bolt system - incl. overlapping profile on the hinge side

#### Standard option

**Lock:** high security key lock I class VdS with three keys (95 mm) or electronic lock II class VdS

**Boltwork handle:** knob, protruding 12 mm

**Hinges:** external

**Door opening angle:** 180°

**Mounting holes:** 1 hole in the floor, 1 on the backwall (not drilled) up to 1/3 high

# safe4BTM





key lock



**402100.11 / 402100.01**

Outer dimensions HxWxD (mm)	400 x 400 x 270
Inner dimensions HxWxD (mm)	350 x 341 x 157
Weight	39 kg
Drawers number (pcs.):	-
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	18
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

**402101.11 / 402101.01**

Outer dimensions HxWxD (mm)	400 x 400 x 420
Inner dimensions HxWxD (mm)	350 x 361 x 307
Weight	55 kg
Drawers number (pcs.):	-
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	36
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

**402102.11 / 402102.01**

Outer dimensions HxWxD (mm)	500 x 500 x 420
Inner dimensions HxWxD (mm)	450 x 441 x 307
Weight	82 kg
Drawers number (pcs.):	3
Shelves number (pcs.):	-
Hooks on the hook bar (pcs.)	5
Volume (l.)	60
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

**402103.11 / 402103.01**

Outer dimensions HxWxD (mm)	650 x 500 x 420
Inner dimensions HxWxD (mm)	600 x 441 x 307
Weight	94 kg
Drawers number (pcs.):	2
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	81
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

\* hook strip for self assembly



key lock



**402104.11 / 402104.01**

Outer dimensions HxWxD (mm)	650 x 500 x 420
Inner dimensions HxWxD (mm)	600 x 441 x 307
Weight	104 kg
Drawers number (pcs.):	5
Shelves number (pcs.):	-
Hooks on the hook bar (pcs.)	5
Volume (l.)	81
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

**402105.11 / 402105.01**

Outer dimensions HxWxD (mm)	800 x 500 x 420
Inner dimensions HxWxD (mm)	750 x 441 x 307
Weight	124 kg
Drawers number (pcs.):	6
Shelves number (pcs.):	-
Hooks on the hook bar (pcs.)	5
Volume (l.)	101
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

**402106.11 / 402106.01**

Outer dimensions HxWxD (mm)	800 x 500 x 420
Inner dimensions HxWxD (mm)	750 x 441 x 307
Weight	117 kg
Drawers number (pcs.):	4
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	101
Lock type	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035

\* hook strip for self assembly

**\*\* changes in inner equipment, locks or dimensions - please contact us**



key lock



**402107.11 / 402107.01**



**402108.11 / 402108.01**



**402109.11 / 402109.01**

Outer dimensions HxWxD (mm)	1000 x 500 x 420	1000 x 500 x 420	1150 x 500 x 420
Inner dimensions HxWxD (mm)	950 x 441 x 307	950 x 441 x 307	1100 x 441 x 307
Weight	151 kg	144 kg	173 kg
Drawers number (pcs.):	8	6	10
Shelves number (pcs.):	-	1	-
Hooks on the hook bar (pcs.)	5	5	5
Volume (l.)	127	127	148
Lock type	key lock (3 keys included)	key lock (3 keys included)	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035

\* hook strip for self assembly



key lock



**402110.11 / 402110.01**



**402111.11 / 402111.01**



**402112.11 / 402112.01**

Outer dimensions HxWxD (mm)	1150 x 500 x 420	1300 x 500 x 420	1300 x 500 x 420
Inner dimensions HxWxD (mm)	1100 x 441 x 307	1250 x 441 x 307	1250 x 441 x 307
Weight	167 kg	192 kg	179 kg
Drawers number (pcs.):	8	11	7
Shelves number (pcs.):	1	-	2
Hooks on the hook bar (pcs.)	5	5	5
Volume (l.)	148	169	169
Lock type	key lock (3 keys included)	key lock (3 keys included)	key lock (3 keys included)
Paint	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035

\* hook strip for self assembly

**\*\* changes in inner equipment, locks or dimensions - please contact us**



Electronic lock - Stellar Basic



**402100.12 / 402100.02**

Outer dimensions HxWxD (mm)	400 x 400 x 270
Inner dimensions HxWxD (mm)	350 x 341 x 157
Weight	39 kg
Drawers number (pcs.):	-
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	18
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

**402101.12 / 402101.02**

Outer dimensions HxWxD (mm)	400 x 400 x 420
Inner dimensions HxWxD (mm)	350 x 361 x 307
Weight	55 kg
Drawers number (pcs.):	-
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	36
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

**402102.12 / 402102.02**

Outer dimensions HxWxD (mm)	500 x 500 x 420
Inner dimensions HxWxD (mm)	450 x 441 x 307
Weight	82 kg
Drawers number (pcs.):	3
Shelves number (pcs.):	-
Hooks on the hook bar (pcs.)	5
Volume (l.)	60
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

**402103.12 / 402103.02**

Outer dimensions HxWxD (mm)	650 x 500 x 420
Inner dimensions HxWxD (mm)	600 x 441 x 307
Weight	94 kg
Drawers number (pcs.):	2
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	81
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

\* hook strip for self assembly



Electronic lock - Stellar Basic



**402104.12 / 402104.02**

Outer dimensions HxWxD (mm)	650 x 500 x 420
Inner dimensions HxWxD (mm)	600 x 441 x 307
Weight	104 kg
Drawers number (pcs.):	5
Shelves number (pcs.):	-
Hooks on the hook bar (pcs.)	5
Volume (l.)	81
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

**402105.12 / 402105.02**

Outer dimensions HxWxD (mm)	800 x 500 x 420
Inner dimensions HxWxD (mm)	750 x 441 x 307
Weight	124 kg
Drawers number (pcs.):	6
Shelves number (pcs.):	-
Hooks on the hook bar (pcs.)	5
Volume (l.)	101
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

**402106.12 / 402106.02**

Outer dimensions HxWxD (mm)	800 x 500 x 420
Inner dimensions HxWxD (mm)	750 x 441 x 307
Weight	117 kg
Drawers number (pcs.):	4
Shelves number (pcs.):	1
Hooks on the hook bar (pcs.)	5
Volume (l.)	101
Lock type	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035

\* hook strip for self assembly

**\*\* changes in inner equipment, locks or dimensions - please contact us**



**402107.12 / 402107.02**



**402108.12 / 402108.02**



**402109.12 / 402109.02**



Electronic lock - Stellar Basic

Outer dimensions HxWxD (mm)	1000 x 500 x 420	1000 x 500 x 420	1150 x 500 x 420
Inner dimensions HxWxD (mm)	950 x 441 x 307	950 x 441 x 307	1100 x 441 x 307
Weight	151 kg	144 kg	173 kg
Drawers number (pcs.):	8	6	10
Shelves number (pcs.):	-	1	-
Hooks on the hook bar (pcs.)	5	5	5
Volume (l.)	127	127	148
Lock type	Electronic lock - Stellar Basic	Electronic lock - Stellar Basic	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035

\* hook strip for self assembly



**402110.12 / 402110.02**



**402111.12 / 402111.02**



**402112.12 / 402112.02**



Electronic lock - Stellar Basic

Outer dimensions HxWxD (mm)	1150 x 500 x 420	1300 x 500 x 420	1300 x 500 x 420
Inner dimensions HxWxD (mm)	1100 x 441 x 307	1250 x 441 x 307	1250 x 441 x 307
Weight	167 kg	192 kg	179 kg
Drawers number (pcs.):	8	11	7
Shelves number (pcs.):	1	-	2
Hooks on the hook bar (pcs.)	5	5	5
Volume (l.)	148	169	169
Lock type	Electronic lock - Stellar Basic	Electronic lock - Stellar Basic	Electronic lock - Stellar Basic
Paint	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035	RAL 7024 / RAL 7035

\* hook strip for self assembly

**\*\* changes in inner equipment, locks or dimensions - please contact us**



Mechanical code lock



Electronic lock -  
Stellar Business



Electronic lock -  
Primor 3000 level 5



Electronic lock -  
Primor 3000 level 15




Electronic lock - B 90

Accessories available against surcharge

402100.01 / 402100.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402100.02 / 402100.12	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402101.01 / 402101.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402101.02 / 402101.12	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402102.01 / 402102.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402102.02 / 402102.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402103.01 / 402103.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402103.02 / 402103.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402104.01 / 402104.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402104.02 / 402104.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402105.01 / 402105.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402105.02 / 402105.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402106.01 / 402106.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402106.02 / 402106.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402107.01 / 402107.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402107.02 / 402107.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402108.01 / 402108.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402108.02 / 402108.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402109.01 / 402109.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402109.02 / 402109.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402110.01 / 402110.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402110.02 / 402110.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402111.01 / 402111.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402111.02 / 402111.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402112.01 / 402112.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
402112.02 / 402112.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**\*\* changes in inner equipment, locks or dimensions - please contact us**

 All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

INTER SICHERHEITS SERVICE Sp. z o.o.

T +48 95 723 97 77 - 80 | 66-400 Gorzów Wlkp.  
F +48 95 723 97 82 | ul. Kobylgórska 2  
E biuro@iss.net.pl | www.iss.net.pl