

FOAM SEAL  
2 x 10 mm

A HOOK  
BAR \*

MOVABLE  
SHELVES

CLASS  
III  
according to  
EN 1143-1

**Security level:**  
Class III according to EN 1143-1

Suitable for the storage of:

- office documents, office equipment
- valuables

**Description**

save4ever III series - high security safe - ECB•S certification.

**Body:** double-walled body

**Door:** multi-walled door construction

**Locking:** 4-way locking bolt system - incl. overlapping profile on the hinge side

**Standard option**

**Lock:** high security key lock with two keys or electronic lock

**Boltwork handle:** handle, protruding 60 mm

**Hinges:** external

**Door opening angle:** 180°

**Mounting holes:** 1 hole in the floor, 1 on the backwall (not drilled)

**Colour:** RAL 7024, RAL 7035

# save4ever III





key lock



**419100.11 / 419100.01**

**419101.11 / 419101.01**

**419102.11 / 419102.01**

**419103.11 / 419103.01**

|                                |                            |                 |                 |                 |
|--------------------------------|----------------------------|-----------------|-----------------|-----------------|
| Outer dimensions HxWxD (mm)    | 450 x 450 x 465            | 550 x 550 x 465 | 700 x 550 x 465 | 850 x 550 x 465 |
| Inner dimensions HxWxD (mm)    | 350 x 340 x 305            | 450 x 440 x 305 | 600 x 440 x 305 | 750 x 440 x 305 |
| Weight                         | 177 kg                     | 239 kg          | 287 kg          | 335 kg          |
| Files number (pcs.):           | 4                          | 7               | 9               | 12              |
| Shelves number (pcs.):         | 1                          | 1               | 1               | 1               |
| Hooks on the hook bar (pcs.) * | 5                          | 5               | 5               | 5               |
| Volume (l.)                    | 36                         | 60              | 81              | 101             |
| Lock type                      | Key lock (2 keys included) |                 |                 |                 |
| Paint                          | RAL 7024 / RAL 7035        |                 |                 |                 |

\* hook strip for self assembly



key lock



**419104.11 / 419104.01**

**419105.11 / 419105.01**

**419106.11 / 419106.01**

|                                |                            |                  |                  |
|--------------------------------|----------------------------|------------------|------------------|
| Outer dimensions HxWxD (mm)    | 1050 x 550 x 465           | 1200 x 550 x 465 | 1350 x 550 x 465 |
| Inner dimensions HxWxD (mm)    | 950 x 440 x 305            | 1100 x 440 x 305 | 1250 x 440 x 305 |
| Weight                         | 401 kg                     | 450 kg           | 501 kg           |
| Files number (pcs.):           | 15                         | 18               | 20               |
| Shelves number (pcs.):         | 2                          | 2                | 3                |
| Hooks on the hook bar (pcs.) * | 5                          | 5                | 5                |
| Volume (l.)                    | 127                        | 148              | 168              |
| Lock type                      | Key lock (2 keys included) |                  |                  |
| Paint                          | RAL 7024 / RAL 7035        |                  |                  |

\* hook strip for self assembly

**\*\* changes in inner equipment, locks or dimensions - please contact us**



Electronic lock -  
Solar Basic



**419100.12 / 419100.02**

**419101.12 / 419101.02**

**419102.12 / 419102.02**

**419103.12 / 419103.02**

|                                |                               |                 |                 |                 |
|--------------------------------|-------------------------------|-----------------|-----------------|-----------------|
| Outer dimensions HxWxD (mm)    | 450 x 450 x 465               | 550 x 550 x 465 | 700 x 550 x 465 | 850 x 550 x 465 |
| Inner dimensions HxWxD (mm)    | 350 x 340 x 305               | 450 x 440 x 305 | 600 x 440 x 305 | 750 x 440 x 305 |
| Weight                         | 177 kg                        | 239 kg          | 287 kg          | 335 kg          |
| Files number (pcs.):           | 4                             | 7               | 9               | 12              |
| Shelves number (pcs.):         | 1                             | 1               | 1               | 1               |
| Hooks on the hook bar (pcs.) * | 5                             | 5               | 5               | 5               |
| Volume (l.)                    | 36                            | 60              | 81              | 101             |
| Lock type                      | Electronic lock - Solar Basic |                 |                 |                 |
| Paint                          | RAL 7024 / RAL 7035           |                 |                 |                 |

\* hook strip for self assembly



Electronic lock -  
Solar Basic



**419104.12 / 419104.02**

**419105.12 / 419105.02**

**419106.12 / 419106.02**

|                                |                               |                  |                  |
|--------------------------------|-------------------------------|------------------|------------------|
| Outer dimensions HxWxD (mm)    | 1050 x 550 x 465              | 1200 x 550 x 465 | 1350 x 550 x 465 |
| Inner dimensions HxWxD (mm)    | 950 x 440 x 305               | 1100 x 440 x 305 | 1250 x 440 x 305 |
| Weight                         | 401 kg                        | 450 kg           | 501 kg           |
| Files number (pcs.):           | 15                            | 18               | 20               |
| Shelves number (pcs.):         | 2                             | 2                | 3                |
| Hooks on the hook bar (pcs.) * | 5                             | 5                | 5                |
| Volume (l.)                    | 127                           | 148              | 168              |
| Lock type                      | Electronic lock - Solar Basic |                  |                  |
| Paint                          | RAL 7024 / RAL 7035           |                  |                  |

\* hook strip for self assembly

**\*\* changes in inner equipment, locks or dimensions - please contact us**



Mechanical code lock



Electronic lock -  
Solar Business



Electronic lock -  
Primor 3000 level 5




Electronic lock -  
Primor 3000 level 15



Electronic lock - B 30

Accessories available against surcharge

|                       |                                     |                                     |                                     |                                     |                                     |
|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 419100.01 / 419100.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 419100.02 / 419100.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 419101.01 / 419101.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 419101.02 / 419101.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 419102.01 / 419102.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 419102.02 / 419102.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 419103.01 / 419103.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 419103.02 / 419103.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 419104.01 / 419104.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 419104.02 / 419104.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 419105.01 / 419105.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 419105.02 / 419105.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 419106.01 / 419106.11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 419106.02 / 419106.12 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |



**\*\* changes in inner equipment, locks or dimensions - please contact us**

All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

INTER SICHERHEITS SERVICE Sp. z o.o.

T +48 95 723 97 77 - 80 | 66-400 Gorzów Wlkp.  
F +48 95 723 97 82 | ul. Kobylgórska 2  
E biuro@iss.net.pl | www.iss.net.pl